LOAN DOCUMENT

PHOTOGRAPH THIS SHEET
LEVEL INVENTORY PB-285 779 DOCUMENT IDENTIFICATION JUI 78
JUI 78
DISTRIBUTION STATEMENT A Approved for Public Release Distribution Unlimited
DISTRIBUTION STATEMENT
NTIS GRAM DTIC TRAC UNANNOUNCER JUSTIFICATION BY DISTRIBUTION/ AVAILABILITY CODES DISTRIBUTION AVAILABILITY AND/OR SPECIAL DATE ACCESSIONED DISTRIBUTION STAMP
DATE RETURNED
DATE RETURNED
19990507 160
DATE RECEIVED IN DTIC REGISTERED OR CERTIFIED NUMBER
PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-FDAC
DTIC FORM 70A DOCUMENT PROCESSING SHEET PREVIOUS EDITIONS MAY BE USED UNIT

U.S. DEPARTMENT OF COMMERCE National Technical Information Service

PB-285 779

TECHNICAL LIBRARY

The Use of Numerical Control Technology in Small Metalworking Plants

IIT Research Inst, Chicago, IL

Prepared for

National Center for Productivity and Quality of Working Life, Washington, DC

Jul 78

Reproduced From Best Available Copy

IIT Research Institute Engineering Division 10 West 35th Street Chicago, Illinois 60616

THE USE OF NUMERICAL CONTROL
TECHNOLOGY IN SMALL
METALWORKING PLANTS
Final Report - J6425

Prepared for National Center for Productivity and Quality of Working Life 2000 M Street, N.W. Washington, D.C. 20036

By George P. Putnam

July 19, 1978

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U. S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

NOTICE

THIS DOCUMENT HAS BEEN REPRODUCED FROM THE BEST COPY FURNISHED US BY THE SPONSORING AGENCY. ALTHOUGH IT IS RECOGNIZED THAT CERTAIN PORTIONS ARE ILLEGIBLE, IT IS BEING RELEASED IN THE INTEREST OF MAKING AVAILABLE AS MUCH INFORMATION AS POSSIBLE.

	1. Report No.	2.	PB2	85779
4. Title and Subtitle			5. Report Da July	1 978
The Use of Nume Metalworking Pl	rical Control Technolo ants	gy in Small	6.	
7. Author(s) Geo	rge P. Putnam		8. Performin	g Organization Rept.
9. Performing Organization IIT Research In	Name and Address Stitute		10. Project/	Task/Work Unit No.
Engineering Div			11. Contract,	Grant No.
10 West 35th St Chicago, Ill 60			NP7AC0)14
12. Sponsoring Organization	n Name and Address		13. Type of 1 Covered	Report & Period
	for Productivity and 000 M St., N.W., Washi		14.	
15. Supplementary Notes			<u> </u>	······································
\			w.t	
16. Abstracts	/ Numerical Control of m			floritie
variety in desi ments are much slower than ant aside from makk adopting numeri manufacturers t products, indep indirect benefi	ystems permit automati gn than mass productio greater, however, and icipated. This report et factors thtat ha cal control ktechnique o test objectively the endently from the vend ts of automated equipm	n allows. The progress in identifies we prevented in allow technicor; the dis	Their informat adopting them three madjor more small foility of smal ques on their fficulty of me	cion require- n has been barriers irms from l own easuring the
	; and the fear of too ry cannot be repaired	much costly		
complex machine		much costly		
complex machine 17. Key Words and Docume Numerical contr	ry cannot be repaired	much costly quickly.	y downtime, be	ecause
complex machine 17. Key Words and Docume Numerical contr	ry cannot be repaired nt Analysis. 170. Descriptors ol, metalworking, prod	much costly quickly.	y downtime, be	ecause
complex machine 17. Key Words and Docume Numerical contr	ry cannot be repaired nt Analysis. 170. Descriptors ol, metalworking, prod	much costly quickly.	y downtime, be	ecause
complex machine 17. Key Words and Docume Numerical contr	ry cannot be repaired nt Analysis. 170. Descriptors ol, metalworking, prod	much costly quickly.	y downtime, be	ecause
complex machine 17. Key Words and Docume Numerical contr	ry cannot be repaired nt Analysis. 170. Descriptors ol, metalworking, prod	much costly quickly.	y downtime, be	ecause
complex machine 17. Key Words and Docume Numerical contr	ry cannot be repaired nt Analysis. 170. Descriptors ol, metalworking, prod	much costly quickly.	y downtime, be	ecause
complex machine 17. Key Words and Docume Numerical contr	ry cannot be repaired nt Analysis. 17a. Descriptors ol, metalworking, prod 11-lot production, sma	much costly quickly.	y downtime, be	ecause
complex machine 17. Key Words and Docume Numerical contrautomation, sma	ry cannot be repaired nt Analysis. 17a. Descriptors ol, metalworking, prod 11-lot production, sma	much costly quickly.	y downtime, be	ecause
complex machine 17. Key Words and Docume Numerical contrautomation, sma	ry cannot be repaired nt Analysis. 17a. Descriptors ol, metalworking, prod 11-lot production, sma	much costly quickly.	y downtime, be	ecause
complex machine 17. Key Words and Docume Numerical contrautomation, sma	ry cannot be repaired nt Analysis. 17a. Descriptors ol, metalworking, prod 11-lot production, sma	much costly quickly.	y downtime, be	ecause
complex machine 17. Key Words and Docume Numerical contrautomation, sma	ry cannot be repaired nt Analysis. 17a. Descriptors ol, metalworking, prod 11-lot production, sma	much costly quickly.	y downtime, be	ecause
complex machine 17. Key Words and Docume Numerical contrautomation, sma 17b. Identifiers/Open-Ende	ry cannot be repaired nt Analysis. 17a. Descriptors ol, metalworking, prod 11-lot production, sma	much costly quickly. uctivity, property to the second sec	roductivity in urers	ecause
complex machine 17. Key Words and Docume Numerical contrautomation, sma 17b. Identifiers/Open-Ende 17c. COSATI Field/Group 18. Availability Statement	ry cannot be repaired nt Analysis. 17a. Descriptors col, metalworking, prod 11-lot production, sma	much costly quickly. uctivity, property and the second se	ecurity Class (This	ecause
complex machine 17. Key Words and Docume Numerical contrautomation, sma 17b. Identifiers/Open-Ende	ry cannot be repaired nt Analysis. 17a. Descriptors col, metalworking, prod 11-lot production, sma	much costly quickly. uctivity, property of the second sec	roductivity in urers	ecause

FOREWORD

This document, prepared by IIT Research Institute is submitted in partial fulfillment of the requirements of the National Center for Productivity and Quality of Working Life Contract No. MP7AC014. It serves to report the methodology, findings and recommendations related to a survey of small and medium sized metalworking plants relative to the reasons for their not using Numerical Control (N/C) technology in their operations.

The 10 month effort covered by this report began in October 1977 and ended in July 1978. The study was monitored by Mr. Charles H. Kimzey of the National Center for Productivity and Quality of Working Life.

IITRI is pleased to have had the opportunity to conduct and document this study. We believe that this effort will contribute significantly to improving the United States national productivity by indicating a positive approach to increasing the diffusion N/C technology in small and medium sized United States metalworking plants.

Respectfully submitted,

George/P. Putnam

Manufacturing Technology Advisor

Approved

K. E. McKee

Director

Manufacturing Productivity Center

TABLE OF CONTENTS

FOREWORD	i
	_
1. EXECUTIVE SUMMARY	1
2. BACKGROUND	3.
3. SURVEY METHODOLOGY	4
4. SURVEY RESULTS	8
4.1 General. 4.2 Plant Description and Environment. 4.3 Sources of Information. 4.4 Impediments to N/C. 4.5 Reasons Given for Not Using N/C. 4.6 Preferred Means of Becoming Familiar With N/C. 4.7 Barriers to Using N/C. 4.8 Forecasting N/C Usage. 4.9 Reasons N/C Users Purchased N/C.	8 10 14 17 17 17 17 22
5. STATISTICAL RELIABILITY OF THE DATA	26
6. MAJOR CONCLUSIONS ,	29
RECOMMENDATIONS	35
APPENDIX	
Summary of Questionnaire Responses (Non N/C Users) Summary of Questionnaire Responses (N/C Users)	

LIST OF ILLUSTRATIONS

Figure		Page
1	Typical Profiles of Plants Participating in the Survey	9
2	Manufacturing Environment	11
3	Sources of N/C Information	12
4	Most Significant Source of N/C Information	13
5	Reasons for Non Applicability of Numerical Control	15
6	N/C Information Considered Helpful	16
7	Reasons Given for Not Using N/C	18
8	Preferred Means of Becoming Familiar With N/C	19
9	Barriers to Using N/C	20
10	Forecast for Acquiring First N/C Machine	21
11	Forecast for 10% of Plant Machines Being N/C	23
12	Reasons for Purchasing N/C	24
13	Comparison of Manufacturing Environment for Selected Key Items	30
14	Comparison of N/C Users and Non N/C Users	32

1. EXECUTIVE SUMMARY

At a time when the United States' rate of productivity growth is the lowest in the industrialized world, a course of action is urgently needed to improve both our national productivity and its rate of growth.

Several groups - the General Accounting Office, Professional Societies, the National Machine Tool Builders Association, The Mational Center for Productivity and Quality of Working Life are showing increasing concern for the fact that technology developed in the United States is being diffused more effectively in some foreign countries than it is in the United States.

Computer Aided Manufacturing (CAM) is well recognized as the type of advanced manufacturing technology that needs to be applied by small and medium sized metalworking plants to improve our productivity. Most particularly, this applies to small and medium sized factories using Numerical/Control (N/C) as the core of CAM.

To determine the major barriers preventing N/C technology from being used by small and medium sized firms, this survey was conducted. In addition to identifying these barriers proposed solutions to eliminating these barriers are recommended.

Questionnaires from 366 non N/C users and 146 N/C users were analyzed to determine these barriers and proposed solutions. The significant survey findings are:

- Most plants (72 percent) that do not use N/C have not made a formal evaluation of N/C and what it can do for them.
- Most non N/C users feel that the cost of N/C equipment is too high.
- Non N/C users would like to know how to make a cost justification analysis of N/C.
- Non N/C users feel a definite need to learn more about N/C - and they prefer to learn about N/C using "hands-on" methods in such areas as programming, operating and maintaining N/C equipment.

IIT RESEARCH INSTITUTE

- Before they acquire N/C, non N/C users feel that people in their own organization will have to make cost justification studies.
 This group strongly feels that appropriate tax incentives would stimulate them to use N/C.
- Over 40 percent of the non N/C users have an intuitive feeling that they will be using N/C within 5 years.

Based on these findings and information supplied by N/C users the survey also:

- led to the development of a quick and simple test that can be made by a non N/C user to determine he is a potential candidate for N/C
- shows that there are at least 7,500 small and medium sized plants (less than 200 employees) who are not now using N/C but should be using N/C.

The above findings and conclusion lead to two major recommendations to help diffuse N/C technology among small and medium sized metalworking plants:

- tax incentives to encourage these plants to take the risks involved in being innovative
- developing the concept of the N/C Center here in the United States. Other countries-even developing-countries have developed this concept. Such a center would be administered by an impartial body with no special interest in selling specific brands of N/C technology. The center would basically consist of a staff of N/C technologists and a variety of N/C machine tools and related hardware and software. This would permit the "hands-on" type of training in managing, justifying, programming, operating and maintaining N/C technology that small and medium sized firms need and want.

2. BACKGROUND

In June 1976 the United States General Accounting Office (GAO) released a most significant report, "Manufacturing Technology-A Changing Challenge to Improved Productivity" - LCD-75-436. For those who have not read this GAO report, the investment in time and effort would be most worthwhile.

This document focuses on the productivity of United States discrete parts batch manufacturing in general and the application of Computer Aided Manufacturing (CAM) technology to this very important segment of our national manufacturing activity. Thirty-five percent of the nation's manufacturing firms fall into the discrete parts batch manufacturing category.

This report cited some very alarming facts, among them being

- Since World War II the productivity growth rate of the United States is the lowest in the industrialized world
- CAM especially numerically controlled (N/C)
 machining is an advanced manufacturing technology which would appear to be capable of
 impacting significantly on manufacturing
 productivity
- The application of this technology is not progressing fast enough to sustain our economic way of life
- Without added impetus this technology does now show promise of diffusing to small or medium sized firms.

Based on these findings, this study was conducted to determine two primary objectives:

- the reasons for small metalworking establishments not using N/C.
- what could be done to help identify and overcome the barriers to these establishments not using N/C.

3. SURVEY METHODOLOGY

In order to achieve the study objectives, a questionnaire was designed to elicit a response from small and medium sized manufacturing organizations. The questionnaire was targeted primarily at organizations who are not N/C users. However, it was recognized that some questionnaires would find their way to N/C users. Consequently, some questions were directed to N/C users as well.

Once the questionnaire was designed it was mailed to a test group of 100 potential respondents. A total of 18 responses were received.

A sample of these respondents were interviewed by telephone to determine the clarity of the questions and length of time it took to complete the questionnaire. The general consensus was that the questions were clear and understandable. All respondents questioned indicated that the questionnaire required only 20 minutes of their time to complete due to the "multiple-choice" nature of the questions.

Minor changes were made to the questionnaire to facilitate keypunching for machine processing and to place more emphasis on the respondent to indicate what needed to be done before he would use N/C in his plant.

The final version of the questionnaire consisted of 46 questions, all of which could be answered on a "yes/no" or "multiple-choice" basis so that the information could be machine tabulated. Subdivided into major categories, the responses to the questions described or indicated:

- the plant being surveyed in terms of number of employees, annual sales, number of machine tools, age of machine tools, computer applications, etc.
- the N/C terminology with which the respondent was familiar

- the plant's manufacturing environment in terms of parts complexity, tolerances, feed and speed changes, number of setups, parts design change frequency, jigs and fixtures, etc.
- the sources of the respondent's N/C information and knowledge
- the impediments to applying N/C
- the reasons for not using N/C
- the preferred method for learning about N/C
- what would have to be done before the plant would use N/C
- a forecast of the use of N/C equipment in N/C users and non N/C users facilities
- the reasons N/C users acquired N/C equipment

A copy of this questionnaire together with the covering letter of instructions for its completion appears in the appendix to this report.

Machine and Tool Blue Book (a Hitchcock Publication) contributed to the survey by printing and mailing the questionnaires to individuals on their mailing list. To be sure the sample selected was both random and representative, Blue Book adhered to the following procedures:

- Only one name (an owner or manufacturing manager) at each selected plant location received a questionnaire.
- Plants that indicated purchases of N/C equipment or supplies were excluded. This did not completely eliminate N/C users from responding, but it did produce a response population composed primarily of non N/C users - the target population.
- Plants were selected from the 13 key states which account for 73 percent of United States manufacturing establishments. Each of these states was represented in the survey to a degree proportional to the number of manufacturing establishments within its borders.

- An attempt was made to exclude plants employing more than 200 persons.
- A random number generator was used to select the questionnaire recipients within the designed constraints.
- In order to avoid a disproportinate response from very small and very large companies, an effort was made to mail 60 percent of the questionnaires to plants with an employment level between 20 and 100 people.

The mailing of 7,500 questionnaires with a postage paid return envelope was distributed among the 13 key states as follows:

California	• 976
Illinois	880
New York	852
Ohio	810
Michigan	761
Pennsylvania	656
New Jersey	535
Texas	436
Massachusetts	413
Wisconsin	334
Indiana	329
Connecticut	310
Minnesota	208
Total	7,500

As questionnaires were returned, the responses were keypunched on 2 cards for each questionnaire returned.

Eight weeks was allowed for questionnaires to be returned. After this time had elapsed, the data which were punched in cards were statistically processed using the Statistical Analysis System (SAS) software package developed by the SAS Institute, Raleigh, North Carolina.

After the results were tabulated and reviewed, a group of approximately 25 respondents were contacted by telephone to obtain

- their general reaction to the study
- a more detailed description of the type of analysis they make prior to acquiring capital equipment
- their attitude towards the concept of an N/C Center (discussed in the Recommendations Section of this report).

4. SURVEY RESULTS

4.1 General

A total of 540 responses were received from individuals to whom the questionnaire was mailed. Twenty-eight responses could not be used because of the fact that only a very few of the questions were answered or no questions were answered. While the response of 7.2 percent, was short of that which was expected, it is considered sufficiently reliable from a statistical point of view so that it forms a basis for reaching sound conclusions.

Of the 512 usable responses, 366 were from non N/C users and 148 were from N/C users. The questionnaires for each of these categories together with summarized responses for each question appear in the Appendix.

Within each category of questions the responses were summarized for non N/C users and N/C users separately. Although the survey's principal target was the non N/C user, the N/C user data were tabulated and analyzed since they were available. In many instances the comparison of the two groups can prove helpful in determining courses of action designed to improve the diffusion of N/C technology into those plants to which it appears applicable.

4.2 Plant Description and Environment

Typical profiles of the plants participating in the survey are shown in Figure 1. In comparing the N/C user to the non N/C user it can be seen that the N/C user more frequently

- has a greater number of employees
- has greater design control over the parts produced. In other words they design and manufacture their own parts instead of producing designs which have been supplied to them by customers
- is a division of a larger corporation
- has more machine tools

TYPICAL PROFILES OF PLANTS PARTICIPATING IN THE SURVEY

	NON N/C USER	N/C USER
• NUMBER OF EMPLOYEES	50-100	100-200
• ANNUAL SALES (MILLIONS OF \$)	2-5	2-5
• DESIGN CONTROL OF PARTS (%)	64	72
• DIVISION OF A CORPORATION (%)	36	49
• NUMBER OF MACHINE TOOLS	10-25	25-50
• AGE CATEGORY OF MACHINE TOOLS (YRS)	10-15	10-15
 TOTAL MACHINE TOOL MAINTENANCE PERFORMED "IN HOUSE" (%) 	40	23
• COMPUTER OR TERMINAL ON PREMISES (%)	32	74
• USE OF COMPUTER SERVICE BUREAU (%)	30	48
 NO MANUFACTURING COMPUTER APPLICATIONS (%) 	52	16

Figure 1

- performs a smaller percentage of the required machine maintenance "in-house" and therefore has a greater percentage performed by outside contractors
- makes greater use of computer power

The manufacturing environment for the participants is shown in Figure 2.

One would expect N/C users to produce parts with tighter tolerances, more required changes in feeds and speeds and a greater frequency of design changes.

In the areas of typical setup time per part, number of setups per part, and the requirements for special jigs and fixtures, a difference is noted but more data (such as previous conditions) would need to be known before implying any reasons for the difference. For example, it might mean that non N/C users simply produce simpler parts which would make the economic justification of N/C more difficult.

4.3 Sources of Information

The survey requested respondents to indicate the sources from which they received information about N/C. Figure 3 represents the distribution of the responses.

Both the N/C users and non N/C users followed the same general pattern with trade journals, product literature and tool shows being the most popular sources. As might be expected, N/C users tend to be more heavily involved in acquiring N/C knowledge than non N/C users.

While Figure 3 indicates the most popular sources of knowledge, it does not indicate the sources of knowledge which have the most impact. Figure 4 provides this information.

Courses and Seminars, Practical Experience, and Tool Shows are the sources of N/C knowledge with the most impact on the

MANUFACTURING ENVIRONMENT

CHARACTERISTIC	NON N/C USERS	N/C USERS
PERCENTAGE OF PLANTS PRODUCING COMPLEX PARTS	10-30	9-36
TYPICAL SETUP TIME FOR A PART	Under I hr.	I-3 Hrs.
TYPICAL LOT SIZE	50-100	50-100
PERCENTAGE OF PLANTS WITH SIGNIFICANT AMOUNT OF TIGHT TOLERANCE PRODUCTION	19	24
PERCENTAGE OF PLANTS WITH GREATER THAN 3 FEED AND SPEED CHANGES PER SETUP	16	48
PERCENTAGE OF PLANTS WITH GREATER THAN 5 DESIGN CHANGES PER PART PER YEAR	5	9
PERCENTAGE OF PLANTS IN WHICH MORE THAN 25% OF THE PARTS CAN BE GROUPED IN FAMILIES	цц	49
PERCENTAGE OF PLANTS IN WHICH THE AVERAGE NUMBER OF SETUPS PER PART EXCEEDS 6	17	24
PERCENTAGE OF PLANTS IN WHICH OVER 50% OF THE PARTS REQUIRE SPECIAL JIGS AND FIXTURES	19	26
PERCENTAGE OF PLANTS IN WHICH MORE THAN 25% OF THE PARTS HAVE NOT BEEN MACHINED BEFORE	29	19

Figure 2

SOURCES OF N/C INFORMATION




Figure 3

MOST SIGNIFICANT SOURCE OF N/C INFORMATION COURSES AND SEMINARS PRACTICAL EXPERIENCE TOOL SHOWS PRODUCT LITERATURE NON N/C USER N/C USER RADE JOURNALS MACHINERY SALESMEN

Figure 4

15%

20%

25%

learner. These sources, however, are more difficult to access since they require more of an investment in terms of time and money.

It is interesting to note that 70 percent of the non N/C users stated that they were generally familiar with the capability and applicability of N/C, while only 5 percent of this group stated that they thoroughly understood N/C. For the N/C users the picture is different in that 35 percent of the respondents felt they thoroughly understood N/C. Particular significance is attached to this information since it reflects the response given by general managers.

4.4 Impediments to N/C

In this area of the questionnaire only the replies from non N/C users were considered. Seventy-two percent of this group have not made a formal evaluation of N/C. Among this group:

- 18 percent feel N/C is applicable to their operations
- 52 percent feel N/C is not applicable
- 30 percent are unsure and need more information

Of the 28 percent who have formally evaluated N/C

- 40 percent feel N/C is applicable to their operations
- 52 percent feel N/C is not applicable
- 8 percent are unsure and need more information

Figure 5 lists the reasons given by non N/C users for the nonapplicability of N/C. Note that excessive cost of N/C ranks high while risk as a deterrent is the most infrequent answer given.

Figure 6 depicts the kinds of additional information both N/C users and non N/C users would consider helpful in evaluating N/C. Here it can be seen that users and nonusers differ somewhat in their priorities.

Both groups would clearly like more information on cost justification. N/C users, because of their experience, are more

REASONS FOR NON APPLICABILITY OF NUMERICAL CONTROL (NON N/C USERS ONLY)




Figure 5

N/C INFORMATION CONSIDERED HELPFUL




Figure 6

remed with maintenance while non N/C users are more concerned about methods of surveying their plant to determine whether or not is applicable.

. 3 Reasons Given for Not Using N/C

Here, again, the survey is concerned only with non N/C users the reasons that past and existing efforts failed to convince them to use N/C technology. Figure 7 is a representation of the response pattern to the series of questions related to this subject. The two principal reasons cited for not using N/C is that an analows showed that N/C was not applicable plus the return on investment was poor. The remainder of the reasons given represent anticitated fears and action not taken.

• ? Preferred Means of Becoming Familiar With N/C

In this segment of the questionnaire recipients indicated repreferred techniques by which they wished to learn about N/C. in deneral there was an overwhelming preference for "hands-on" rethods of learning. This especially true of the N/C user.

Since 8 shows the rank order preference of the respondents.

Barriers to Using N/C

The survey asked those questioned to cite events which have to take place before non N/C users began to use N/C is N/C users significantly increased their use of this technology. Examination of Figure 9 shows the N/C user and non N/C user items to be quite similar with the exception of the area thing to tax incentives. N/C users feel this to be much more factor than non N/C users. User justification studies are increased importance. This means that the plant considering acquisition of N/C equipment must develop the ability to make item justification study.

Forecasting N/C Usage

Figure 10 applies to non N/C users and indicates their than as to when they will acquire their first piece of N/C

REASONS GIVEN FOR NOT USING N/C (NON N/C USERS ONLY)






Figure 7

PREFERRED MEANS OF BECOMING FAMILIAR WITH N/C



BARRIERS TO USING N/C

Figure 9



TIME ESTIMATE WITHIN WHICH FIRST N/C MACHINE WILL BE ACQUIRED (NON N/C USERS ONLY)




Figure 10

equipment. It is interesting to note that almost half of this group feel confident that they will be using N/C technology within the next 5 years. Thirty percent of this group feels that they will never acquire N/C.

Figure 11 applies to all respondents. It is impressive to note that 80 percent of the N/C users feel that at least 10 percent of their machines will be N/C within 10 years, while almost 35 percent of the non N/C users feel that at least 10 percent of their machines will be N/C within this same time period.

4.9 Reasons N/C Users Purchased N/C

According to Figure 12 the primary reasons N/C users purchased N/C equipment was to reduce the direct cost of manufacturing parts. But a significant number of them purchased N/C to reduce indirect costs such as lead time, production control and tooling costs.

4.10 <u>Telephone Interviews</u>

In the telephone interviews selected survey respondents indicated that their response to being surveyed was very positive. They are most anxious to read the summary article reporting the survey results in the September 1978 issue of Machine and Tool Blue Book.

The telephone interviews indicated that the plants involved have very informal systems for evaluating capital expenditures. These systems typically:

- Are intuitive and based on a general "feeling" that the capital acquisition should be made.
- Most of this group that used numerical data on reaching a decision on whether or not to purchase capital equipment used the simple "payback" method. This method involves dividing the cost of the equipment by the expected annual savings to determine the number of years it will take for the savings to "pay" for the equipment.

TIME ESTIMATE WITHIN WHICH 10% OF PLANT'S MACHINES WILL BE N/C




Figure 11

REASONS FOR PURCHASING N/C (N/C USERS ONLY)




Figure 12

All of those contacted were enthusiastic about the idea of the N/C Center concept discussed in Section 7 of this report. It was a most welcome prospect to them to contemplate a facility which would provide them with "hands-on" experience with N/C equipment and help them to determine its economic justification.

5. STATISTICAL RELIABILITY OF THE DATA

It is desirable to find a way to measure the accuracy of the sample percentages generated by the statistical data accumulated during this project. Assuming a normal distribution of the sample percentage about the true percentage of the population, the standard error of a sample percentage can be expressed as

$$SE = 100 \sqrt{\frac{p(1-p)}{n}}$$

where

SE = standard error

p = the observed percentage expressed as a fraction
 (i.e., 5% would equal .05)

n = the sample size

this error will be maximum when p = .5 (50%)

In the case of this survey the maximum SE can be computed for

the N/C user population where n = 146

SE =
$$100 \sqrt{\frac{.5(1-.5)}{146}}$$
 = $100 \sqrt{\frac{.25}{146}}$ = 4.14%

the non N/C user population where n = 366

SE =
$$100 \sqrt{\frac{.5(1-.5)}{366}}$$
 = $100 \sqrt{\frac{.25}{366}}$ = 2.61%

the total population of N/C users and non N/C users where n=512

SE =
$$100 \sqrt{\frac{.5(1-.5)}{512}}$$
 = $100 \sqrt{\frac{.25}{512}}$ = 2.21%

Knowing these values of SE we can compute the maximum variation of sample percentages from true percentages with a confidence interval of 95% by applying the following formula

95% confidence limits = sample percentage \pm 1.96 x SE for N/C users

$$\pm$$
 1.96 x SE = \pm 1.96 x 4.14 = \pm 8%

for non N/C users

$$\pm$$
 1.96 x SE = \pm 1.96 x 2.61 = \pm 5%

for the total population

$$\pm 1.96 \times SE = \pm 1.96 \times 2.21 = \pm 4\%$$

This relationship - or method of calculating SE - applies when $p \geq \frac{10}{n}$

in this survey

for N/C users
$$\frac{10}{n} = \frac{10}{146} = .068 \text{ or } 6.8\%$$
 for N/C users
$$\frac{10}{n} = \frac{10}{366} = .027 \text{ or } 2.7\%$$
 for the total population
$$\frac{10}{n} = \frac{10}{512} = .020 \text{ or } 2.0\%$$

In view of the above the following can be stated that 95% of the time the sample percentage will be a measure of the true population percentage

for the N/C user group within \pm 8% when the percentage exceeds 6.8% for the non N/C user group within \pm 5% when the percentage exceeds 2.7% for the total group within \pm 4% when the percentage exceeds 2.0%

Remember these are the worst cases which occur when p = 50%

To realize the impact of this, consider the non N/C user answer to question 1-58, "Have you made a formal evaluation of the applicability of N/C to your operations"?

This question was answered positively (yes) by 28.4% of the non N/C users. The above general condition states that we can be 95% certain that between 23.4% and 33.4% of the total population has made such a formal evaluation.

If a more accurate estimate is required it is calculated as follows

SE =
$$\sqrt{\frac{p(1-p)}{n}}$$
 = $\sqrt{\frac{(.284)(.716)}{366}}$ = .024 or 2.4%

95% confidence limits =
$$\pm$$
 1.96 x 2.4 = \pm 4.6

We can be 95% certain that between 23.8% and 33.0% made such an evaluation.

For the purposes of this study it is practical to use the wider limits instead of calculating limits for each percentage observed since the error will always be in the conservative direction.

6. MAJOR CONCLUSIONS

The survey produced several major findings which can be consolidated into four principal areas:

- A simple method for measuring the applicability of N/C to a given plant
- An indication of the potential applicability of N/C to those plants that are not presently using it
- The confidence that both N/C users and non N/C users have in the future applicability of N/C
- An indication of the preferences of non N/C users in learning about N/C and overcoming the barriers to applying it

Each of these areas will be discussed separately.

Measuring the Applicability of N/C

An excellent starting point for a non N/C user in determining whether or not N/C might be applicable to his operations would be to compare himself to an N/C user. In effect, Figure 13 makes this comparison for several key characteristics. Lists of principles relating manufacturing environment to N/C have been developed by many sources. Here is a partial list of some of the more significant principles.

 $\ensuremath{\text{N/C}}$ tends to be applicable to a given manufacturing plant when:

- a large proportion of the parts can be grouped into families
- speeds and feeds change often within a setup
- many parts have contours that can be identified by mathematical equations
- the lot sizes are small to medium
- part contours are comprised of other than lines and circles
- parts are geometrically complex

COMPARISON OF MANUFACTURING ENVIRONMENT FOR SELECTED KEY ITEMS N/C USERS VS NON N/C USERS

	•		
	PERCENT		
MANUFACTURING CHARACTERISTIC	N/C USERS	NON N/C USERS	
More than 25% of parts can be grouped in families	49	44	
More than 25% of parts require 3 or more speed/feed changes within a single setup	48	16	
Parts with contours defined by mathematical equations	45	24	
Typical lot size is less than 50 pieces	44	40	
More than 25% of parts contain contours that are not lines and/or circles	36	29	
More than 25% of parts contain compound angles	30	21	
Average setup exceeds 3 hours	27	13	
More than 25% of parts have dimensional tolerances less than .001"	24	19	
Typical part design is changed more than 5 times per year	9	1.8	

Figure 13

- setup times are large
- parts have tight dimensional tolerances
- part designs change frequently

Figure 13 quantitatively compares N/C users and non N/C users with respect to characteristics related to these general principles. As one would expect the N/C users appear to be more reflective of these principles than non N/C users. However, these figures are based on aggregated data. Some of the environments in the non N/C user plants are similar to the environments of the N/C users.

This is more effectively observed by examining Figure 14. This chart indicates the percentage of N/C users and non N/C users that possess a certain number or more of the key characteristics that point to the applicability of N/C. In this study the average N/C user's environment incorporates 3 of these characteristics within his environment.

While it is not represented here as a total analysis tool, it is recommended that if a non N/C user would like a quick indication of the applicability of N/C to his operation he can measure himself against the list of characteristics in Figure 13. If he possesses 3 or more of these characteristics it is quite probable that N/C is applicable to his operation. A more "in-depth" analysis by an N/C engineer, consultant, or manufacturing engineer would certainly be justified.

The Potential Applicability of N/C to Non N/C Users

An extrapolation of the data in Appendix I of the GAO report of 1976 (cited earlier) would lead to the conclusion that there are at least 22,700 plants with 200 or less employees that are non N/C users.

The survey being summarized here indicates (see Figure 14) that 33.3 percent of the non N/C users possess 3 or more of the environmental characteristics of N/C users.

COMPARISON OF N/C USERS AND NON N/C USERS BASED ON PRESENCE OF KEY MANUFACTURING CHARACTERISTICS

NUMBER OF KEY MANUFACTURING	PERCENT		
CHARACTERISTICS PRESENT IN THE PLANT	N/C	NON N/C	
IRE FLANT	USERS	USERS	
9	0	0	
8 or more	0	0	
7 or more	2.1	1.1	
6 or more	6.2	1.9	
5 or more	20,5	7.4	
4 or more	36.9	16.4	
3 or more	60.2	33.3	
2 or more	84.2	61.5	
1 or more	96.6	89.6	
NONE	3.4	10.4	

Figure 14

Coupling these data it would appear probable that there are at least 7,500 U.S. metalworking plants in the United States with fewer than 200 employees who should seriously consider the applicability of N/C to their operations.

Confidence in the Future

As one can see by examining Figures 10 and 11 a large proportion of non N/C users feel (intuitively or otherwise) that they should be acquiring N/C within the next 5 years. In fact almost 14 percent of this group feels that 10 percent of their machine tools will be N/C within 2-5 years. These data are consistent with the non N/C user response to a question asking if they had formally evaluated the applicability of N/C to their operations. Seventy-two percent of the respondents replied negatively to this question (the analyses made as shown in Figure 7 may have been cursory and informal).

This all adds up to the healthy conclusion that non N/C users are not hostile towards using N/C. On the contrary, they seem to be predisposed to using it. What is lacking is a sound analysis to indicate the feasibility (or nonfeasibility) of N/C to their operations.

Learning About N/C and Overcoming the Barriers To Its Use By Non N/C Users

Several of the Figures in this article, notably Figures 4, 6, 8 and 9 indicate a marked preference for obtaining "hands-on" experience as part of the procedure for evaluating N/C. As far as N/C users are concerned (see Figure 4) this is by far the type of learning experience that has the biggest impact. Figure 8 particularly reflects the desire for "hands-on" experience as a learning tool. Figure 9 shows that the user (or potential user) making a justification study represents the biggest barrier to using N/C.

There is certainly a financial connotation to some of the barriers to using N/C - notably the expense of N/C equipment

itself and a feeling that stronger tax incentives need to be put in place.

Several categories of training in various aspects of N/C-management, maintenance, programming, etc. - are a matter of concern in removing the barriers to using N/C.

7. RECOMMENDATIONS

It is always difficult to project what will happen in the future. It is a less difficult task to speculate on what the future course of events should be.

Basically, the study reported in these pages supports and amplifies the GAO study of 2 years ago. The conditions which exist seem abundantly clear:

- Our N/C technology in the United States is as good (or better) as can be found anywhere in the world.
- This type of technology properly applied and diffused among small and medium sized manufacturing plants can materially assist the rate of growth of United States productivity.
- The United States is not diffusing this technology as well as it should or as well as several of the countries in the industrial world.

Most assuredly one of the actions that should be taken to spur the acquisition of this technology by those to whom it is applicable, is to provide tax incentives to make the acquisition cost of N/C technology less expensive. In addition it would help if some sort of tax credit could be given to provide an incentive to begin the learning curve with all its special problems of operating, managing, programming, and maintaining this equipment. However, this aspect of the solution involves political action as well as economic action, the discussion of which is beyond the scope of this report.

But there is something that can be done to address the needs of the non N/C user community as it has articulated them.

As one observes foreign countries the cooperation among government, industry and academia it is noticeably different than that which exists in the United States. This cooperation is much more of an operating reality abroad and it produces some attendant benefits.

There is no reason that this policy and technique could not be applied in the United States. It would serve the national interest very effectively. The mechanism which could be developed for implementing this policy would be the establishment of an N/C Center managed and operated by an impartial group (such as a university or research institute); partially funded by suppliers of N/C technology and equipment and the Government; and used by small and medium sized firms to evaluate and become involved with N/C technology.

Such a center would have 3 principal functions:

- 1. Demonstrating the operation and capability of N/C hardware and software a place where potential small and medium sized users can operate and program equipment on a "hands-on" basis under the guidance of technically competent and impartial personnel. This would include assistance in making sample runs with the potential user's drawings and material for machining parts as well as assistance in making an economic justification.
- Training personnel in managing, operating, programming, and maintaining N/C equipment in courses and seminars.
- 3. Disseminating information by maintaining a library of technical publications and a general awareness of sources of information so that a potential user may obtain information directly or indirectly on any facet of N/C technology about which he may inquire.

As a result of the survey the non N/C user problems and needs have been surfaced in an organized fashion. Viable courses of action to respond to these needs are available. Let's hope they can be implemented.

APPENDIX

February 27, 1978

This is an important questionnaire. The answers you supply will be used to help you, your industry, and your country. It is not merely a device to develop a list of plants to be contacted by salesmen. You are not required to identify yourself in any way unless you so desire.

Authoritative government surveys have determined that while the United States is a world leader in developing new manufacturing technology, it is not a world leader in applying it.

A case in point, Numerically Controlled (N/C) machine tools — machine tools whose slides and spindles are controlled by punched tape or a signal coming directly from a computer.

Some large manufacturers are using N/C. But the number of small manufacturing concerns in the United States (compared to Europe and Japan) who use N/C is extremely small.

If United States manufacturing industry is to effectively compete on an international basis, we need to improve our manufacturing productivity. N/C is one way -- a significant way -- to improve productivity. If other countries can use it effectively, why can't we?

Do we need to improve the technology somehow? Do we need to make people like you more familiar with N/C? Its application? Its justification? Does N/C need to be modified in some way before you can use it?

To find the answers to these and related questions, IIT Research Institute under the sponsorship of the National Center for Productivity and Quality of Working Life, has prepared this questionnaire to determine: information that describes your plant; where you obtained your N/C knowledge; whether or not you would like to learn more about N/C; how you would like to learn about N/C; why you are not using N/C; what is preventing you from using N/C; what would need to be done before you would use N/C.

The questionnaire is easy to answer and should take no longer than 20 minutes.

We would like to follow up a sample of the questionnaires by telephone for more detailed information. If you would like to participate in this phase of the project, please list your telephone number after the last question. If you do not wish us to contact you by phone, leave this item blank.

At the end of the questionnaire on the reverse side of the paper, or on a separate piece of paper you may make any comments you wish — particularly if you feel the questions did not bring out something you wanted to point out.

A summary of the answers to these questions together with an analysis of our findings will be published in a forthcoming issue of Machine and Tool Blue Book.

Please complete the questionnaire now while it is before you and return it to us in the postage free envelope provided.

Many thanks for your cooperation.

George P. Putnam

Manufacturing Technology Advisor

Encl.:

		S	UMMARY O	F RESPONSES FROM	M 366 COMPANIES
١	**	_	CA 13.1		
PLANT	DESCRIPTION		CT 3.3	MA 6.0 NY 10.1 MI 6.8 OH 10.4	TX 3.8 WI 6.6
•	IN WHAT STATE IS	YOUR PLANT LOCATED	TT 1/ E	MN 3 8 PA 10 1	Unidentified 1.1
1. 2.	HOW MANY PEOPLE AT	RE EMPLOYED AT THE	F 100471001		
	1. UNDER 25 2.	25-50 3. 50-1	00 4. 100		
1. 3.	23.8 WHAT IS THE APPROX (CIRCLE ONE)	24.9 25.0 CIMATE ANNUAL SALES	B DOLLAR VAL	6.7 8.7 UE OF PRODUCT PRODUCED	
	1. UNDER 1 MILLIO	N 30.7 3. 2.5 MII	LION 26.45	. 10-15 MILLION 6.3	
	2. 1-2 MILLION	19.0 4. 5.10 M	LL10N13.36	. OVER 15 MILLION 4	.3 _(2.7.)
1. 4.	ARE MOST OF THE IT	EMS MANUFACTURED	T THIS LOCA	TION DESIGNED BY YOUR	COMPANY? 1. YES 2. NO
1. 5.	IS THIS PLANT A DI	VISION OR SUBSIDIA 1. YES 36 /	1RY OF A COR 2. NO []	PORATION OR ONE OF A G	ROUP OF PLANTS IN
1.6.	WHAT IS THE APPROX	IMATE NUMBER OF MA	CHINE TOOLS	AT THIS LOCATION? (C	IRCLE ONE)
1. 7.	20.0	32.8 $3.$ 25.50 37.2	4. 50.10 2 13.	00 5. OVER 100	
1. /.	INTO WHAT AGE CATE	GORY DO MOST OF TH	ESE MACHINES	FALL? (CIRCLE ONE)	
1. 8.	0.1	43.4	70.7	23.9 PERFORMED BY YOUR OWN	17 0
	1. ALL 2. 75%.	100% 3. 50%.75%			
1 9.	40.3 46.	1 7.2	3.6	50% 5. 1.25% 6. 1 D 2.8 R PLANT? 1. YES [] ;	NONE .6 2 No []
1-10.	DO YOU USE A COMPU		_	31.9 BUREAU? 1. YES	68.1 2. NO
WHAT	TYPES OF MANUFACT	URING COMPUTER APP	ICATIONS DO	29.9 YOU HAVE? (CIRCLE AL	70.1
1-11.	NONE 52.2	1-15. QUA	LITY CONTROL	3.3	LL THAT APPLY)
1-12.	PRODUCTION CONTROL	25:4 1-16. ROU	ring 7.7		
1-13.	INVENTORY CONTROL	30.9 1.17. OTH	R 10.1		
1-14.	TIME STANDARDS 1	3.9 SPEC	IFY		
N/C INF	ORMATION	•			
DO Y	OU KNOW THE MEANING	S OF THE FOLLOWING	TERMS?		
	NUMERICAL CONTROL	1. YES - 2. NO F	7 1.24	RNC	t was to a sum to
	PART PROGRAMMING	94.0 1. YES 2. NO] 1.25.	APT	1. YES 2. NO 1. YES 2. NO 1
1-20.	PUNCHED TAPE	1. YES 1 2. NO [18.9
1.21.	GROUP TECHNOLOGY	91.3 1. YES 2. NO [1. YES 2. NO 66. 7 1. YES 2. NO
1-22.	CNC	34.2 1. YES□ 2. NO □		MACHINE CONTROL	22.7
1-23.	DNC	39.3 1. YES 2. NO		LINEAR INTERPOLATION	1. YES 2. NO 0 64.2 1. YES 2. NO 0
		411 1			—

1-30.	DO MORE THAN 25% OF YOUR PARTS CONTAIN STRAIGHT LINES, CONCENTRIC CIRCLES AND HOLES? 1. YES 2. NO
1.31.	87.7 DO MORE THAN 25% OF YOUR PARTS CONTAIN COMPOUND ANGLES? 1. YES 2. NO 21.0
1.32.	DO MORE THAN 25% OF YOUR PARTS CONTAIN ECCENTRIC CIRCLES? 1. YES 2. NO 9.8
1.33.	DO MORE THAN 25% OF YOUR PARTS CONTAIN CONTOURS THAT ARE NOT STRAIGHT LINES OR CIRCLES? 1. YES
1-34.	HOW LONG DOES THE AVERAGE JOB SET-UP TAKE IN YOUR PLANT? (CIRCLE ONE) 1. UNDER 1 HOUR 2. 1-3 HOURS 3. 3-5 HOURS 4. 5-8 HOURS 5. OVER 8 HOURS 53.0 34.1 7.2 3.7 2.0
1-35.	WHAT IS THE MOST TYPICAL LOT SIZE IN YOUR PLANT? (CIRCLE ONE) 1. UNDER 10 PCS 25.13. 25.50 PCS 6.9 5. 100-500 PCS 22.0
	2. 10-25 PCS 8.3 4. 50-100 PCS14.36. OVER 500 PCS 23.4
1-36.	DO MORE THAN 25% OF YOUR PARTS HAVE DIMENSIONS WITH TOLERANCES GREATER THAN + .005''? 1. YES 2. NO 55.7
1-37.	DO MORE THAN 25% OF YOUR PARTS HAVE DIMENSIONS WITH TOLERANCES BETWEEN ± .001" AND ± .005"? 1. YES 2. NO
1.38.	1. YES 2. NO
1.39.	18.6 DO YOU PRODUCE PARTS WITH CONTOURS DEFINED BY MATHEMATICAL EQUATIONS? 1. YES 2. NO 23.5
1-40.	FEED OR SPEED? 1. YES . NO .
1-41.	36.1 WITHIN A SINGLE SET UP DO MORE THAN 25% OF YOUR PARTS REQUIRE MORE THAN 3 CHANGES IN FEED OR SPEED? 1. YES 2. NO 15.6
1 - 42 .	THAN S CHANGES IN
1-43,	HOW OFTEN IS THE DESIGN OF THE TYPICAL PART MANUFACTURED IN YOUR PLANT CHANGED? (CIRCLE ONE) 1. NEVER 32.9 3. 2.5 TIMES PER YEAR 20.5 5. OVER 10 TIMES PER YEAR 7.0
	1. NEVER 32.9 3. 2.5 TIMES PER YEAR 20.5 5. OVER TO TIMES PER TEAM 2. ONCE PER YEAR 39.04. 5.10 TIMES PER YEAR 0.6
1-44.	WHAT PERCENTAGE OF THE PARTS MANUFACTURED IN YOUR PLANT CAN BE GROUPED INTO FAMILIES BECAUSE OF SIMILAR SHAPES AND PROCESSING? (CIRCLE ONE) 1. NONE 13.3 3. 10%-25%26.0 5. OVER 50% 28.0
	2. 1%-10% 17.1 4. 25%-50% 15.6
1 - 45.	HOW MANY MACHINING "SET UPS" DOES THE AVERAGE PART YOU MANUFACTURE REQUIRE? (CIRCLE ONE

- 1-46. WHAT PERCENTAGE OF THE PARTS YOU MACHINE REQUIRE SPECIAL JIGS AND FIXTURES? (CIRCLE ONE) 1. NONE 6.3 2. 1%-10% 32.4 3. 10%-25%22.6 4. 25%-50% 19.85. OVER 50% 18.9
- 1.47. WHAT PERCENTAGE OF THE PARTS ENTERING YOUR MACHINE SHOP ARE PARTS YOU HAVE NOT MACHINED BEFORE? (CIRCLE ONE)
 - 1. NONE 10.52. 1%-10% 40.5 3. 10%-25% 21.34. 25%-50% 9.6 5. OVER 50% 18.1

SOURCE OF N/C INFORMATION

HOW DID YOU ACQUIRE YOUR KNOWLEDGE OF N/C? (CIRCLE ALL THAT APPLY)

- 1.48. NO KNOWLEDGE 15.3 1-51. PRODUCT LITERATURE 51.91-54. TECHNICAL MEETINGS 15.0
- 1.49. COURSES & SEMINARS 15.81.52. MACHINERY SALESMEN28.11.55. OTHER (SPECIFY) 10.9
- 1-50. TRADE JOURNALS 60.4 1.53. TOOL SHOWS 48.6

(mostly practical experience)

- 1-56. WRITE DOWN THE NUMBER OF THE ANSWER 1-48 THROUGH 1-55 ABOVE THAT CONTRIBUTED MOST SIGNIFICANTLY TO YOUR KNOWLEDGE OF N/C. See Figure 4
- 1-57. WHICH OF THE FOLLOWING APPLIES TO YOU? (CIRCLE ONE)
 - 1. UNFAMILIAR WITH N/C 25.6
 - 2. GENERALLY UNDERSTAND ITS CAPABILITY AND APPLICABILITY 69.6
 - 3. THOROUGHLY UNDERSTAND ITS CAPABILITY AND APPLICABILITY 4.8

IMPEDIMENTS TO APPLYING N/C

- 1.58. HAVE YOU MADE A FORMAL EVALUATION OF THE APPLICABILITY OF N/C TO YOUR OPERATIONS? 1. YES 28.4
- 1559. CONCERNING THE APPLICABILITY OF N/C TO YOUR OPERATIONS DO YOU FEEL (CIRCLE ONE) 1. IT IS APPLICABLE 23.8 2. IT IS NOT APPLICABLE 52.73. UNSURE NEED MORE INFORMATION 23.5

IF ANSWER TO 1-59. IS "2. IT IS NOT APPLICABLE" WHY? (CIRCLE ALL THAT APPLY)

- 1.60. EXCESSIVE COST 25.1
- 1-65. PARTS USUALLY REQUIRE SINGLE SET UP 20.5
- 1.61. EXCESSIVE RISK 2.7
- 1.66. FEEDS AND SPEEDS REMAIN CONSTANT
- 1.62. PRODUCT IS MASS PRODUCED 11.5 1.67. PART DESIGN RARELY CHANGES 15.3
- 1-63. TYPE OF PRODUCT 31.4
- 1-68. OTHER (SPECIFY)
- 1-64. PARTS ARE NOT COMPLEX 24.0

WHAT KIND OF ADDITIONAL INFORMATION CONCERNING N/C WOULD BE HELPFUL TO YOU (CIRCLE ALL THAT APPLY)

- 1,69. A METHOD FOR SURVEYING YOUR PLANT TO DETERMINE N/C APPLICABILITY 27.6
- 1.70. COST JUSTIFICATION INFORMATION 43.4 2. 4. N/C SYSTEMS SELECTION 16.1
- 2. 1. N/C MAINTENANCE PROBLEMS AND 18.0 2. 5. N/C EQUIPMENT SELECTION 19.1 THEIR SOLUTIONS
- 2. 2. N/C PARTS PROGRAMMING 16.7
- 2. 6. OTHER (SPECIFY) 2.2
- 2. 3. N/C PERSONNEL QUALIFICATIONS AND SELECTION 20.5

REASONS PAST AND EXISTING EFFORTS FAILED TO CONVINCE YOU TO USE N/C TECHNOLOGY

IF YOU HAVE BEEN EXPOSED TO INFORMATION CONCERNING N/C AND ITS APPLICABILITY TO YOUR OPERATIONS AND YOU HAVE DECIDED NOT TO USE N/C. WHICH OF THE FOLLOWING FACTORS DESCRIBES THE REASON(S) FOR YOUR DECISION? (CIRCLE ALL THAT APPLY)

- 2- 7. HAVE NOT MADE AN ANALYSIS OF OUR OPERATIONS 17.52. 9. NOT APPLICABLE TO OUR
- 2. 8. INSUFFICIENT TIME TO STUDY THE PROBLEM 11.2
- OPERATIONS BASED ON ANALYSIS 30.9 2.10. INADEQUATE RETURN ON INVESTMENT 30.6

2.11.	UNABLE TO RAISE THE REQUIRED CAPITAL	13.4		
2.12.	INVESTMENT IS TOO RISKY	6.6		
2.13.	MAINTENANCE SUPPORT IS DOUBTFUL	12.0		
2.14.	PART PROGRAMMING SUPPORT IS DOUBTFUL	6.8		
2.15	THE THE PETER LANDING EMPLOYEES	8.5		
_	THE STATE CONCEDNED ADOLLT TOR SECURITY	1.1		
2.16.		6.8		
2.17.	OTHER (SPECIFY)			t y st er e e e
	ING FAMILIAR WITH N/C			
WH	ICH OF THE FOLLOWING MEANS WOULD YOU LIKE CLUDING YOURSELF TO BECOME MORE FAMILIAR	TO USE FOR MEI	MBERS OF YOUR ORGAN OLOGY? (CIRCLE ALL	IZATION THAT APPLY)
	NONE		20.8	
2.19.	TO S BAYES COURSES OR SEMI	INARS	18.3	
2.20.	THE PROPERTY OF THE PROPERTY O		24.6	
2.21.	THE PARTY WORKSHOP IN N/C PA		•	
	WORKSHOP IN N/C MA		16.1	
2-22.	TURNING COURSES		12.0	-
2-23		•	33.6	
2 - 2 4		•	12.0	
2 - 25			32.5	
2-26	. VISIT OTHER PLANTS (SIMILAR TO YOURS)	WHO USE N/C	9.0	
2 - 27	. VISIT MACHINE TOOL BUILDERS		_	
2 - 28	·	i i	2.5	
2-29	PARTICIPATE IN A "TRIAL RUN" WITH YOU PROGRAMS WHICH ARE USED TO MACHINE YOU	OUR DRAWINGS BE UR MATERIAL TO	ING USED TO DEVELOR PRODUCE YOUR PARTS	N/C PART -
2-30	O. OTHER (SPECIFY) 2.5			
,	NG N/C - YOUR ANSWERS TO THESE QUESTIONS BARRIERS TO APPLYING N/C TECHNOL WHICH OF THE FOLLOWING WOULD HAVE TO TAKE INCREASE ITS USE IN YOUR PLANT? (CIRCLE	OGY PLACE BEFORE Y ALL THAT APPLY	YOU USE N/C OR SIGN	IFICANTLY
2 - 3	1. SEVERAL N/C MACHINE TOOL BUILDERS VIS	IT OUR PLANT A	ND MAKE PROPOSALS	12,8
2.3	TO THE TAX TO THE TOTAL OF THE TAX TO THE TA			40.2
2.3	3. A CONSULTANT REVIEWS OUR OPERATIONS A			15.6
2 - 3	THE THE OF OUR PARTS RECERAMMEN	FOR AND RUN ON	AN N/C MACHINE SO	WE WOULD HAVE AING COSTS. ETC. 2
2 - 3	35. TRAINING FOR OUR PERSONNEL IN AN OVE		21.3	

	THE STATE OF THE S	17.8
2.36.	TRAINING FOR OUR PERSONNEL IN N/C MAINTENANCE	16.7
2.37.		9.8
2.38.	RECEIPT OF EVIDENCE THAT N/C MAINTENANCE SUPPORT EXISTS	
2.39.	RECEIPT OF EVIDENCE THAT N/C PART PROGRAMMING SUPPORT EXISTS	
2.40.	GOVERNMENT TAX INCENTIVES FOR INVESTING IN N/C EQUIPMENT	20.5
2.41.	LOWER PRICES FOR N/C EQUIPMENT	35.5
FORECA	AST	
	WITHIN HOW MANY YEARS DO YOU FEEL YOUR PLANT WILL HAVE AT LE EQUIPMENT? (CIRCLE ONE) 1. NEVER 30.12. WITHIN 2 YRS. 14.3 3. 2.5 YRS. 29.8 4. 5.10	YRS.16.5 5. OVER 10 YRS. 9.3
2.43.	WITHIN HOW MANY YEARS DO YOU FEEL THAT AT LEAST 10% OF THE EWILL BE N/C EQUIPMENT? (CIRCLE ONE) 1. NEVER 41.92. WITHIN 2 YRS. 1.3 3. 2.5 YRS. 12.54. 5.10	
EQ	ATTEMPTED TO SEND THIS QUESTIONNAIRE TO ONLY THOSE ORGANIZAT UIPMENT. HOWEVER, IF YOU DO HAVE N/C EQUIPMENT WE WOULD APPRILLOWING QUESTIONS.	IONS WHO DO NOT HAVE N/C ECIATE YOUR ANSWERS TO THE
2.44.	HOW MANY N/C TOOLS ARE AT THIS LOCATION? (CIRCLE ONE) 1. 1.2 - 2. 3.5 - 3. 5.10 - 4. OVER 10 -	
	ARE YOU SATISFIED WITH YOUR N/C EQUIPMENT? 1. YES . 2.	NO 🗆 -
	Y DID YOU PURCHASE N/C EQUIPMENT? (CIRCLE ALL THAT APPLY)	
2 - 46 .	TO REDUCE MANUFACTURING COSTS -	
	. TO REDUCE TOOLING COSTS	
2 - 48	TO MEET TOLERANCES (ACCURACY AND REPEATABILITY) -	•
2 - 49	. TO IMPROVE PRODUCTION CONTROL -	•
2 - 50	. SHORTAGE OF SKILLED LABOR -	
2.51	. NEED TO REDUCE LEAD TIME -	
2 - 52	. OTHER. SPECIFY	
	. DO YOU PLAN TO PURCHASE ADDITIONAL N/C EQUIPMENT? 1. YES	
2 - 53	DO YOU PLAN TO PURCHASE ADDITIONAL N/C EGOTTMENT!	
+	IT IS NOT NECESSARY TO IDENTIFY YOU OR YOUR COMPANY IN RETURNI HOWEVER. WE WOULD LIKE TO TELEPHONE SEVERAL INDIVIDUALS WHO HA TO DISCUSS THESE ANSWERS IN GREATER DETAIL. IF YOU AGREE TO T YOUR NAME AND TELEPHONE NUMBER BELOW.	AE COMPLETED THIS GOEST COMME
2 - 54		
	NAME AREA CODE	TÉLEPHONE NUMBER

(All Responses are Given in %) MANUFACTURING SHOP SURVEY SUMMARY OF RESPONSES FROM 146 COMPANIES

SUMMARY OF RESPONSES FROM 146 COMPANIES MA 7.5 NY 8.2 TX 4.8 CA 11.6 CT 2.1 MI 14.4 OH 13.7 WI 6.2 PLANT DESCRIPTION IL 9.6 MN 4.8 PA 8.9 Unidentified 2.0 1. 1. IN WHAT STATE IS YOUR PLANT LOCATED? IN 4.1 NJ1. 2. HOW MANY PEOPLE ARE EMPLOYED AT THIS LOCATION? (CIRCLE ONE) 1. UNDER 25 2. 25-50 3. 50-100 4. 100-200 5. OVER 200 21.9 32.2 21.2 6.2 18.5 WHAT IS THE APPROXIMATE ANNUAL SALES DOLLAR VALUE OF PRODUCT PRODUCED AT THIS LOCATION? 1. UNDER 1 MILLION 13.8 3. 2.5 MILLION 29.0 5. 10.15 MILLION 11.6 2. 1.2 MILLION 13.0 4. 5.10 MILLION 23.96. OVER 15 MILLION 8.7 1. 4. ARE MOST OF THE ITEMS MANUFACTURED AT THIS LOCATION DESIGNED BY YOUR COMPANY? 1. YES . NO . 71.7 28.3 1. 5. IS THIS PLANT A DIVISION OR SUBSIDIARY OF A CORPORATION OR ONE OF A GROUP OF PLANTS IN THE SAME COMPANY? 1. YES 2. NO 0 48.6 1. 6. WHAT IS THE APPROXIMATE NUMBER OF MACHINE TOOLS AT THIS LOCATION? (CIRCLE ONE) 5. OVER 100 3. 25-50 4. 50-100 1. UNDER 10 2. 10-25 28.3 12.4 32.4 6.9 20.0 INTO WHAT AGE CATEGORY DO MOST OF THESE MACHINES FALL? (CIRCLE ONE) 1. 7. 1. UNDER 5 YRS. 2. 5-10 YRS. 3. 10-15 YRS. 4. 15-20 YRS. 5. OVER 20 YRS. 32.2 30.8 17.1 12.3 7.5 1. 8. WHAT PROPORTION OF MACHINE TOOL MAINTENANCE IS PERFORMED BY YOUR OWN EMPLOYEES? (CIRCLE ONE) 4. 25%-50% 5. 1-25% 6. NONE 50% - 75% 1. ALL 2. 75% 100% 3. 5.5 3.4 •7 23.3 14.4 52.7 IS THERE A COMPUTER OR COMPUTER TERMINAL IN YOUR PLANT? 1. YES . NO . 73.8 26.2 1.10. DO YOU USE A COMPUTER OR DATA PROCESSING SERVICE BUREAU? 1. YES 2. NO 52.5 47.5 WHAT TYPES OF MANUFACTURING COMPUTER APPLICATIONS DO YOU HAVE? (CIRCLE ALL THAT APPLY) 16.4 1.15. QUALITY CONTROL 8.9 1-11. NONE 24.0 1.12. PRODUCTION CONTROL 53.4 1-16. ROUTING 37.0 52.1 1.17. OTHER 1.13. INVENTORY CONTROL SPECIFY Primarily N/C Applications 34.2 1-14. TIME STANDARDS N/C INFORMATION DO YOU KNOW THE MEANINGS OF THE FOLLOWING TERMS? 1. YES 2. NO 0 1. YES 2. NO [1.24. RNC NUMERICAL CONTROL 2. NO 🗆 PART PROGRAMMING 2. NO 🔲 1-25. APT 1. YES 2. NO [1. YES 2. NO 🗌 1-26. MULTI AXIS PUNCHED TAPE 100.0 1. YES 2. NO [2. NO 🗆 1-27. BILATERAL DRIVER 1.21. GROUP TECHNOLOGY 32.2 YES Q 88.4 2. NO 🔲 2. NO 🗌 1-28. MACHINE CONTROL 1.22.

1-29. LINEAR INTERPOLATION

1. YES 2. NO [

67.1

1.23.

DNC

2. NO 🗌

MANUFACTURING ENVIRONMENT

1-30.	DO MORE THAN 25% OF YOUR PARTS CONTAIN STRAIGHT LINES, CONCENTRIC CIRCLES AND HOLES? 1. YES 2. NO 93.8
1-31.	DO MORE THAN 25% OF YOUR PARTS CONTAIN COMPOUND ANGLES? 1. YES 2. NO 2. NO 3. NO 4. PARTS CONTAIN COMPOUND ANGLES?
1 - 32 .	30.1 DO MORE THAN 25% OF YOUR PARTS CONTAIN ECCENTRIC CIRCLES? 1. YES 2. NO
1.33.	13.0 DO MORE THAN 25% OF YOUR PARTS CONTAIN CONTOURS THAT ARE NOT STRAIGHT LINES OR CIRCLES? 1. YES 2. NO 35.6
1.34.	HOW LONG DOES THE AVERAGE JOB SET-UP TAKE IN YOUR PLANT? (CIRCLE ONE) 1. UNDER 1 HOUR 2. 1-3 HOURS 3. 3-5 HOURS 4. 5-8 HOURS 5. OVER 8 HOURS
1.35.	31.5 41.8 19.2 4.8 2.7 WHAT IS THE MOST TYPICAL LOT SIZE IN YOUR PLANT? (CIRCLE ONE) 1. UNDER 10 PCS 21.2 3. 25.50 PCS 11.6 5. 100.500 PCS 22.6
	2. 10-25 PCS 11.0 4. 50-100 PC\$20.5 6. OVER 500 PCS 13.0
1.36.	DO MORE THAN 25% OF YOUR PARTS HAVE DIMENSIONS WITH TOLERANCES GREATER THAN 1. YES 2. NO 47.2
1 - 37 .	DO MORE THAN 25% OF YOUR PARTS HAVE DIMENSIONS WITH TOLERANCES BETWEEN ± .001" AND ± .005"7 1. YES 2. NO
1-38.	1. YES 2. NO 1
1-39,	23.6 DO YOU PRODUCE PARTS WITH CONTOURS DEFINED BY MATHEMATICAL EQUATIONS? 1. YES 2. NO 44.5
1-40.	WITHIN A SINGLE SET-UP DO MORE THAN 25% OF YOUR PARTS REQUIRE MORE THAN 1 CHANGE IN FEED OR SPEED? 1. YES 2. NO
1-41,	69.0 WITHIN A SINGLE SET UP DO MORE THAN 25% OF YOUR PARTS REQUIRE MORE THAN 3 CHANGES IN FEED OR SPEED? 1. YES 2. NO
1-42.	WITHIN A SINGLE SET UP DO MORE THAN 25% OF YOUR PARTS REQUIRE MORE THAN 5 CHANGES IN FEED OR SPEED? 1. YES 2. NO 7
1-43.	HOW OFTEN IS THE DESIGN OF THE TYPICAL PART MANUFACTURED IN YOUR PLANT CHANGED? (CIRCLE ONE) 1. NEVER 24.1 3. 2-5 TIMES PER YEAR 20.6 5. OVER 10 TIMES PER YEAR 7.1
	2. ONCE PER YEAR 46.14. 5-10 TIMES PER YEAR 2.1
1-44.	WHAT PERCENTAGE OF THE PARTS MANUFACTURED IN YOUR PLANT CAN BE GROUPED INTO FAMILIES BECAUSE OF SIMILAR SHAPES AND PROCESSING? (CIRCLE ONE) 1. NONE 5.6 3. 10%-25% 25.4 5. OVER 50% 26.8
	2. 1%-10%19.7 4. 25%-50% 22.5
1-45.	HOW MANY MACHINING 'SET-UPS' DOES THE AVERAGE PART YOU MANUFACTURE REQUIRE? (CIRCLE ONE)

1.46. WHAT PERCENTAGE OF THE PARTS YOU MACHINE REQUIRE SPECIAL JIGS AND FIXTURES? (CIRCLE ONE) 1. NONE 4.1 2. 1%-10% 25.53. 10%-25% 26.24. 25%-50% 18.6 5. OVER 50% 25.5 WHAT PERCENTAGE OF THE PARTS ENTERING YOUR MACHINE SHOP ARE PARTS YOU HAVE NOT MACHINED BEFORE? (CIRCLE ONE) 1. NONE 4.9 2. 1%-10%43.7 3. 10%-25% 20.44. 25%-50% 9.9 5. OVER 50% 21.1 SOURCE OF N/C INFORMATION HOW DID YOU ACQUIRE YOUR KNOWLEDGE OF N/C? (CIRCLE ALL THAT APPLY) 1-51. PRODUCT LITERATURE 71 . 21-54. TECHNICAL MEETINGS 34.2 1.48. NO KNOWLEDGE 2.7 1.49. COURSES & SEMINARS 56.21.52. MACHINERY SALESMEN 56.81.55. OTHER (SPECIFY) (Primarily Practical Experience) 1.50. TRADE JOURNALS 69.2 1.53. TOOL SHOWS 67.1 1-56. WRITE DOWN THE NUMBER OF THE ANSWER 1-48 THROUGH 1-55 ABOVE THAT CONTRIBUTED MOST SIGNIFICANTLY TO YOUR KNOWLEDGE OF N/C. See Figure 4 1.57. WHICH OF THE FOLLOWING APPLIES TO YOU? (CIRCLE ONE) 1. UNFAMILIAR WITH N/C 2. GENERALLY UNDERSTAND ITS CAPABILITY AND APPLICABILITY 61.8 THOROUGHLY UNDERSTAND ITS CAPABILITY AND APPLICABILITY 35.4 IMPEDIMENTS TO APPLYING N/C 1.58. HAVE YOU MADE A FORMAL EVALUATION OF THE APPLICABILITY OF N/C TO YOUR OPERATIONS? 1. YES 🗌 2. NO 🔲 73.9 26.1 1.59. CONCERNING THE APPLICABILITY OF N/C TO YOUR OPERATIONS DO YOU FEEL (CIRCLE ONE) 1. IT IS APPLICABLE 88.0 2. IT IS NOT APPLICABLE 8.5 3. UNSURE NEED MORE INFORMATION 3.5 IF ANSWER TO 1.59. IS "2. IT IS NOT APPLICABLE" WHY? (CIRCLE ALL THAT APPLY) 5.5 1.65. PARTS USUALLY REQUIRE SINGLE SET UP 3.4 1.60. EXCESSIVE COST .. 7 1.66. FEEDS AND SPEEDS REMAIN CONSTANT 1.61, EXCESSIVE RISK-1.62. PRODUCT IS MASS PRODUCED 2.1 1.67. PART DESIGN RARELY CHANGES 3.4 4.8 1.68. OTHER (SPECIFY) 1.63. TYPE OF PRODUCT 1.64. PARTS ARE NOT COMPLEX WHAT KIND OF ADDITIONAL INFORMATION CONCERNING N/C WOULD BE HELPFUL TO YOU (CIRCLE ALL THAT APPLY) 1.69. A METHOD FOR SURVEYING YOUR PLANT TO DETERMINE N/C APPLICABILITY 17.1 1.70. COST JUSTIFICATION INFORMATION 41.8 2. 4. N/C SYSTEMS SELECTION 34.9 2. 5. N/C EQUIPMENT SELECTION 22.6 2. I. N/C MAINTENANCE PROBLEMS AND THEIR SOLUTIONS 3.4 2. 6. OTHER (SPECIFY) 17.1 2. 2. N/C PARTS PROGRAMMING 2. 3. N/C PERSONNEL QUALIFICATIONS 30.8 AND SELECTION REASONS PAST AND EXISTING EFFORTS FAILED TO CONVINCE YOU TO USE N/C TECHNOLOGY

IF YOU HAVE BEEN EXPOSED TO INFORMATION CONCERNING N/C AND ITS APPLICABILITY TO YOUR OPERATIONS AND YOU HAVE DECIDED NOT TO USE N/C. WHICH OF THE FOLLOWING FACTORS DESCRIBES THE REASON(S) FOR YOUR DECISION? (CIRCLE ALL THAT APPLY)

2. 7. HAVE NOT MADE AN ANALYSIS OF OUR OPERATIONS $2.1\,$ 2. 9. NOT APPLICABLE TO OUR

2. 8. INSUFFICIENT TIME TO STUDY THE PROBLEM

OPERATIONS BASED ON ANALYSIS

2.11. UNABLE TO RAISE THE REQUIRED CAPITAL	8.2		•	
2-12. INVESTMENT IS TOO RISKY	4.8			14
2-13. MAINTENANCE SUPPORT IS DOUBTFUL	5.5			
2.14. PART PROGRAMMING SUPPORT IS DOUBTFUL	2.1			
2-15. PROBLEMS IN RETRAINING EMPLOYEES	2.1			
2-16. EMPLOYEES CONCERNED ABOUT JOB SECURITY	2.1			
2.17. OTHER (SPECIFY)	7.5			
BECOMING FAMILIAR WITH N/C			• 7 g = 2	+ 12 -
WHICH OF THE FOLLOWING MEANS WOULD YOU LIKE INCLUDING YOURSELF TO BECOME MORE FAMILIAR				· Y)
2-18. NONE	•	6.8	•	
2-19. ATTEND SHORT (2-5 DAYS) COURSES OR SEMI	INARS	34.9		•
2-20. ATTEND "HANDS ON" WORKSHOP IN N/C MAC	CHINE OPERATION	41.8		
2-21. ATTEND "HANDS-ON" WORKSHOP IN N/C PAR	RT PROGRAMMING	38.4	•	
2-22. ATTEND "HANDS-ON" WORKSHOP IN N/C MAI	INTENANCE	34.9		
2-23. ATTEND EVENING COURSES		15.1		
2-24. READ BASIC N/C LITERATURE		24.0		
2-25. READ CASE HISTORIES	•	9.6		
2-26. VISIT OTHER PLANTS (SIMILAR TO YOURS) W	WHO USE N/C	37.7	•	•
2.27. VISIT MACHINE TOOL BUILDERS		24.7		
2-28. JOIN A TECHNICAL SOCIETY		10.3		
2-29. PARTICIPATE IN A ''TRIAL-RUN'' WITH YOU PROGRAMS WHICH ARE USED TO MACHINE YOUR				
2-30. OTHER (SPECIFY)			1.4	
USING N/C - YOUR ANSWERS TO THESE QUESTIONS ARE EXTREMELY IMPORTANT IN HELPING TO OVERCOME BARRIERS TO APPLYING N/C TECHNOLOGY WHICH OF THE FOLLOWING WOULD HAVE TO TAKE PLACE BEFORE YOU USE N/C OR SIGNIFICANTLY INCREASE ITS USE IN YOUR PLANT? (CIRCLE ALL THAT APPLY)				
2-31. SEVERAL N/C MACHINE TOOL BUILDERS VISIT		MAKE PROPOSALS		15.1
2.32. OUR STAFF MAKES AN ECONOMIC JUSTIFICAT!	2. OUR STAFF MAKES AN ECONOMIC JUSTIFICATION STUDY			43.2
2-33. A CONSULTANT REVIEWS OUR OPERATIONS AND	ADVISES US			7.5
	2.34. A SAMPLE RUN OF OUR PARTS PROGRAMMED FOR AND RUN ON AN N/C MACHINE SO WE WOULD HAVE "HARD" DATA ON "SET-UP" AND "RUN" TIMES, TOOLING COSTS, PROGRAMMING COSTS, ETC.29.5			
2-35. TRAINING FOR OUR PERSONNEL IN AN OVERVI	EW OF N/C	•		17.1

2.36.	TRAINING FOR OUR PERSONNEL IN N/C MAINT	ENANCE	19.2	
2.37.	TRAINING FOR OUR PERSONNEL IN PART PROG	RAMMING	19.9	
2-38.	RECEIPT OF EVIDENCE THAT N/C MAINTENANC	E SUPPORT EXISTS .	13.7	
2-39.	RECEIPT OF EVIDENCE THAT N/C PART PROGR	AMMING SUPPORT EXISTS	4.8	4
2.40.	GOVERNMENT TAX INCENTIVES FOR INVESTING	IN N/C EQUIPMENT	37.7	
2-41.	LOWER PRICES FOR N/C EQUIPMENT		40.4	
FOREC	AST			
2-42.	WITHIN HOW MANY YEARS DO YOU FEEL YOUR EQUIPMENT? (CIRCLE ONE) 1. NEVER 9.1 2. WITHIN 2 YRS. 70.5 3.			
2-43.	WITHIN HOW MANY YEARS DO YOU FEEL THAT WILL BE N/C EQUIPMENT? (CIRCLE ONE) 1. NEVER 14.0 2. WITHIN 2 YRS.19.0 3.	AT LEAST 10% OF THE EC	DUIPMENT IN YOUR	PLANT
EQU	ATTEMPTED TO SEND THIS QUESTIONNAIRE TO USE OF THE SEND THIS QUESTIONNAIRE TO USE OF THE SEND	ONLY THOSE ORGANIZATIO	ONS WHO DO NOT HA	AVE N/C RS TO THE
2-44.	HOW MANY N/C TOOLS ARE AT THIS LOCATION 1. 1-251.4 2. 3-5 22.63. 5-10 16.44.			
2 - 45.	ARE YOU SATISFIED WITH YOUR N/C EQUIPMEN	<u> </u>	_	
WHY	ODID YOU PURCHASE N/C EQUIPMENT? (CIRCLE	86.3 1 E ALL THAT APPLY)	.3.7	
2-46.	TO REDUCE MANUFACTURING COSTS	87.0		
2 - 47 .	TO REDUCE TOOLING COSTS	43.2		
2-48.	TO MEET TOLERANCES (ACCURACY AND REPEATA	ABILITY) 54.8	•	
2-49.	TO IMPROVE PRODUCTION CONTROL	47.3		
2-50.	SHORTAGE OF SKILLED LABOR	39.0	•	•
2-51.	NEED TO REDUCE LEAD TIME	54.1		
2.52.	OTHER. SPECIFY	13.7		
TO	DO YOU PLAN TO PURCHASE ADDITIONAL N/C E IS NOT NECESSARY TO IDENTIFY YOU OR YOUR VEVER. WE WOULD LIKE TO TELEPHONE SEVERAL DISCUSS THESE ANSWERS IN GREATER DETAIL. IR NAME AND TELEPHONE NUMBER BELOW.	84.9 COMPANY IN RETURNING INDIVIDUALS WHO HAVE	COMPLETED THIS O	UESTIONNAIRE
2 - 54 .			•	
	NAME	AREA CODE T	ELEPHONE NUMBER	

TELEPHONE NUMBER